# Government of Maharashtra

SEAC-III.2014/CR-284/TC-3 Environment department Room No. 217, 2<sup>nd</sup> floor, Mantralaya Annexe, Mumbai- 400 032. Dated: 4<sup>th</sup> September, 2014

To,
M/s. P Square Builders Pvt Ltd.
Nyati Commercial House,
Road No. 6, Kalyani Nagar, Pune- 411006

Subject: Environment clearance for proposed project "Nyati Elan" at Gat No.720, 721, 723, 730(P), 734 at Village Wagholi, Tal.Haveli, Distt. Pune by M/s. Nyati Builders Pvt Ltd

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 5<sup>th</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 71<sup>st</sup> meeting.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed project "Nyati Elan" at Gat No.720, 721,723,730(P),734 at Village Wagholi,Tal. Haveli, Distt.Punc. SEAC-III considered the project under screening category 8(b) B1 as per ElA Notification 2006.

## Brief Information of the project submitted by Project Proponent is as-

Name of Project	"NYATI ELAN"
Project Proponent	M/s P Square Builders Pvt Ltd.
Consultant	M/s. Ultra-Tech Environmental Consultancy & Laboratory
Type of project	Residential and commercial development.
Location of the project	Gat No. 720,721,723,730(P), 733, (Wagholi), Pune, Taluka-Haveli.
	District – Pune, State: Maharashtra
Whether in Corporation /	Town Planning
Municipal / other area	
Applicability of the DCR	Town planning
Total Plot Area (Sq.m.)	
Deductions	Deductions for (road widening, amenity):21,994.95 m <sup>2</sup>
Net Plot area	Net Plot area: 1,18,705.05 m <sup>2</sup>
Permissible FSI	1,38,884.92 m <sup>2</sup>
(including	
TDR etc.)	

Proposed Built-up Area	FSI: 121209.24 m <sup>2</sup>
(FSI & Non-FSI)	Non FSI: 95057.84 m <sup>2</sup>
	Total BUA area: $216267.08 \text{ m}^2$
Ground-coverage	17,824.12 m <sup>2</sup> (15 % of Net Plot Area)
Percentage (%)	(15 70 of Not Not Med)
(Note: Percentage of plot	
not open to sky)	
Estimated cost of the	Rs. 358.43/- cr.
project	
No. of building & its	Residential: 05nos. of building with B+P+ 12
configuration(s)	02 Building with B+P+08
	20 Nos. of building with P + 12
	05 Nos. building with P+ 11
	06Nos. building with P+ 08
	22 Nos. of bungalows with G+1
	Commercial: 1 building G +2
Number of tenants and	Residential
shops	Tenements - 1728Nos. (including EWS/LIG 564 nos)
	Commercial –11 shops & 22 offices
Number of expected	Residential - 8706 Nos.
residents / users	Commercial –373 Nos.
	Total – 9079 nos.
Tenant density per hector	146
Height of the building(s)	Residential:
	Max. Height = 37.05 M.
	Commercial:G+2 = 11.25 M
Right of way (Width of	Nearest Fire Station Yerwada. The road from fire station is Nagar
the road from the nearest	road of 60 mt wide and further 15 mt wide road upto plot above 500
fire station to the	Mt.
proposed building(s))	
Turning radius for easy	9. 00 m.
access of fire tender	
movement from all	
around the building	
excluding the width for	
the plantation	
Total Water Requirement	Dry season:
	• Fresh water (CMD): 791
	& Source: Wagholi Gram Panchayat and Well
	• Recycled water (CMD): 492
	Total Water Requirement (CMD): 1304
	• Swimming pool make up (Cum): 21
	• Fire fighting (CMD): 850
	Wet Season:
	• Fresh water (CMD): 791
	Source: Wagholi Gram Panchayat and well
	• Recycled water (CMD): 401
	• Total Water Requirement (CMD):1213
	• Swimming pool make up (CMD): 21
Rain Water Harvesting	• Fire fighting (CMD): 850 • Size no of recharge pits and Overtile 22
(RWH)	<ul> <li>Size, no of recharge pits and Quantity: 33 no of recharge pits</li> <li>Surface run off will be recharged to ground through with 33 Nos.</li> </ul>
<u>``</u>	Surface full Off Will be recharged to ground through with 22 No.

	of recharge pits located within the site premises Each of size 1.5 mX 1.5m  • 1767.30 m³/min rain water harvesting is planned.
	Budgetary allocation (Capital cost and O&M cost):     Capital Cost: Rs. 16.50lacs     O & M Cost: Rs. 3.30 lacs per annum
UGT tanks	Separate UG Tanks are proposed for Each Phases
UGI tanks	Separate Od Tanks are proposed for Each Thases
Storm water drainage	<ul> <li>Natural water drainage pattern: having slope very gentle towards South-West side</li> <li>Quantity of storm water- 1767.30 M³/day</li> <li>Size of SWD: 300mmWide Open Channel of Varying Depth and Size of Pipe at Discharge Point 600mm dia Pipe</li> </ul>
Sewage and Waste water	<ul> <li>Sewage generation (CMD): 954     STP technology: Anaerobic Baffle Reactor (ABR) Technology.</li> <li>Capacity of STP (CMD)     STP I - Phase 1 - 175 CMD     STP III-Phase 2 - 220 CMD including Commercial     STP III- Phase 3 - 215 CMD     STP IV- Phase 4 - 360 CMD     Location of the STP:     STP I - Phase 1-Near B4 building     STP III- Phase 2 - Near E4 building     STP III- Phase 3 - Near A3 building     STP IV- Phase 4 - Near B12 Building     STP IV- Phase 4 - Near B12 Building     Budgetary allocation (Capital cost and O&amp;M cost)     Capital Cost: Rs. 263.00 lacs</li> </ul>
Solid waste Management	- O & M : Rs 35.28 lacs per annum  Waste generation in the Construction and Operation phase:
	<ul> <li>Construction Phase</li> <li>a. Excavation Debris:- 79293 M³</li> <li>Top soil preservation / conservation:</li> <li>Shall be preserved and reused within the site for landscaping.</li> <li>Remaining material shall be used for back filling of Plinth and footing, leveling of the plot &amp; Road Sub Base balance will be disposed off to authorized sites.</li> <li>b. Construction waste: - Construction waste will be partly reused for backfilling, counterweight of raft, road works and landscaping etc and partly disposed off to design dumping site.</li> </ul>
	Waste generation in the construction Phase:  • Dry waste (Kg/day) : 15 kg/day  • Wet waste (Kg/day) : 35 kg/day

\	Total waste generated (Kg/day): 50 kg/day
	Waste generation in the operation Phase:
	• Dry waste (Kg/day) : 1990kg/day
	• Wet waste (Kg/day) : 2066 kg/day
	• STP Sludge (Dry sludge) (Kg/day): 96 kg/day
	o 11 o mago (b1) o mago) (11g/may). Jo ng/may
	Mode of Disposal of waste:
	• Dry waste: will be handed over to authorize Contractors.
	• Wet waste: will be treated in Organic Waste Converter (OWC).
	• E – waste: send to Authorized contractor
	• Hazardous waste: Waste oil which is generated due to usage of
	DG sets shall be stored and subsequently given to the authorized
	hazardous waste management agencies recognized by MPCB.
	• STP Sludge (Dry sludge): Dried sludge from STP will be used as
	manure.
	Area requirement:
	1. Location(s) and total area provided for the storage and treatment of
	the solid waste:
	- Area required for collection, segregation and storage
	including treatment:
	- Ph-I - 40 + Ph-II 77 + Ph-III 77 + Ph-IV 107)
	- Total = $300 \text{ m}^2$
	<ul> <li>Budgetary allocation (Capital cost and O&amp;M cost):</li> </ul>
	- Capital Cost: Rs. 41.60 lacs
	- O & M : Rs. 8.95 lacs/annum

31.	Green Belt	Total RG area:	
	Development	1. RG area other than green belt (Please specify for Playground, etc.):	
		2. RG area under green belt:  RG on the ground: 22934.00 m <sup>2</sup>	
		Ground R.G. is 19.30% of the Net Plot Area.  3. Plantation:	
		• Number of trees species to be planted in the ground RG: 1693 nos.	
		Number, size, age and species of trees to be cut, trees to be transplanted:     Retained –197 Nos.     Relocated – 17Nos.     Cut -12 Nos.	
		<ul> <li>4. Budgetary allocation (Capital cost and O&amp;M cost):</li> <li>- Capital Cost: Rs. 108.14 Lakhs</li> <li>- O &amp; M Cost: Rs. 30.87 Lakhs/ Annum</li> </ul>	
32.	Energy	Power supply:	
		Maximum demand –7478.23 kVA	
		Connected Demand – 8413.05 kW.	
		Source: M.S.E.D.C.L.	

• DG sets (during emergency): 6 DG sets

160 kVA = 1 no.

140 kVA = 2 nos.

 $100 \,\mathrm{kVA} = 2 \,\mathrm{nos}.$ 

30 kVA = 1 no.

# Energy saving by non-conventional method:

• Energy saving measures:

- CFL & LED based lighting will be done in the common areas, landscape areas, signage's, Entry gates and boundary compound walls etc.
- Solar lights will be provided for common amenities like Street lighting, & Garden lighting.
- Auto Timer Switches Will Be provided for Street lights, Garden lights, Parking & staircase Lights & Other Common Area Lights, for saving electrical energy.
- Water Level Controllers With Timers will be Used for Water Pumps.
- Solar Water Heating Systems Will Be Done For Bathrooms.

  To create awareness to end consumer or flat owner, for using energy efficient light fittings like CFL, T5 Lamps & LED Lights.

## Detail calculations & % of saving:

- The Overall savings by using all the Energy saving Measures will b,
  - > Phase I- 1.66 %
  - ➤ Phase II- 2.00 %
  - > Phase III- 1.61 %
  - > Phase IV- 1.66 %
  - ➤ Commercial 1.63 %

• Compliance of the ECBC guidelines: (Yes / No) (If yes then submit compliance in tabular form):

Sec		
No	Requirement	Remark.
	Minimum Equipment efficiencies for Airconditioning	The A. C. in the flat is not provided by the proponent. The minimum efficiency of the A.C available in the market is above 90-95 % for star rated A.C.s.
	Solar water heating for minimum 20% design	
6.2.1	capacity	Complies
6.2.2	Equipment efficiency standards	Complies
7.2	Lighting controls to be controlled by photo sensor or time switch	
7.2.1.4	Exterior lighting to be controlled by photo sensor or time switch	
7.3	Interior lighting power to be	

	within specified limits	
7.4	Exterior lighting power to be within specified limits	Complies
8.2.1.1	Maximum allowable power loss from transformer	Complies
	Power factor be maintained	
8.2.3	between 0.95 and unity	Complies
8.2.4	Check metering	Complies
	Power distribution system losses to be maintained less	l i
8.2.5	than 1%	Complies

Budgetary allocation (Capital cost and O&M cost):

For Solar water heating

Capital Cost: Rs. 93.80 lacsO & M Cost: Rs. 1.87 lacs/annual

# 33. Environmental Management plan Budgetary Allocation

# Construction phase (with Break-up):

Sr. No.	Parameter	Total Cost (Rs. In La per annum
1	Water For Dust Suppression	1.80
2	Site Sanitation	1.00
3	Environmental Monitoring	0.96
4	Disinfection	10.00
5	Health Check Up	2.40
6	Crèche	9.00
7	STP	45.15
	Total Cost	70.31

# Operation Phase (with Break-up)-

- Capital cost
- O&M cost (Please ensure manpower and other details)

Parameter	Total Set Up Cost (Rs. In Lacs)	Operational And Maintenance Cost Per Yr (Rs. In Lacs)
STP Cost	218.15	35.28
Rain Water Harvesting	16.50	3.30
Environmental Monitoring	MoEF Approved Laboratory	30.28
Proposed Pond (Seasonal)	110.0	10.00
Solar Lighting	93.80	1.87
Gardening	108.14	30.87
Solid Waste Management	41.60	8.95
Total	588.19	120.55

Quantum and generation of Corpus fund and Commitment

		Project proponent shall operate and maintain EMF for 3 years after giving possession and shall also generate corpus fund during 3 years for O & M.  • Responsibility for further O &M: Corpus fund shall be handed over to the party. While handing over Environmental Management Facilities M.O.U. shall be made with		
		society to accept responsibility of further O & M of EMF.		
34.	Traffic	The project is abutting to the 15 mt. wide road.		
	Management	Parking details:		
		Number and area of basement: 1 Basement		
		Total Parking area: 33153.42 Sq.mt.		
		• 2-Wheelar: 2535 Nos.		
		• 4-Wheeler: 1372 Nos.		
		Width of all Internal roads		
		(m): 6m wide Internal Roads.		

- 3. The proposal has been considered by SEIAA in its 71<sup>st</sup> meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:
  - (i) Local Authority shall ensure water availability before issuing the Occupation Certificate to the project and PP to provide visitors parking in lay over/by spaces
  - (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
  - (iii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
  - (iv) PP has to abide by the conditions stipulated by SEAC & SEIAA. PP to provide visitors parking in layover/by spaces.
  - (v) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.

- (vi) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (viii) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (ix) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (x) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (xi) The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (xii) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xiii) Arrangement shall be made that waste water and storm water do not get mixed.
- (xiv) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xv) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xvi) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvii) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xviii) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.

- (xix) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xx) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xxi) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xxii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxiii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.
- (xxiv) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxvi) Ready mixed concrete must be used in building construction.
- (xxvii) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxviii)Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxix) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxx) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxxi) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environmenent department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.

- (xxxii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxiii)Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxiv)Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxvi)Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxvii) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxxviii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxix)Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xl) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xli) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xlii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xliii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xliv) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xlv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

- (xlvi) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
- (xlvii) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (xlviii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlix) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (l) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (li) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
- (lii) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (liii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (liv) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO<sub>2</sub>, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (lv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (lvi) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the

status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(Medha Gadgil)
Additional Chief Secretary,
Environment department &
MS, SEIAA

### Copy to:

- 1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
- 2. Shri. Jagdish Joshi, Chairman, SEAC-III, 3 Tahiti CHS Juhu- Versova Link Road, Andheri (W), Mumbai- 400.

- 3. Additional Secretary, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- **4.** Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Pune.
- 7. Collector, Pune
- 8. Commissioner, Municipal Corporation, Pune
- 9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 10. Select file (TC-3)

(EC uploaded on 10/09/2014